Civil Engineering Database Keyword Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Acids

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).
2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).

Agricultural wastes

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).

Air entrainment

Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

Air water interactions

Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

Algorithms

Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).

Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

Alluvial valleys

Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

Aquifers

Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).

Leaky One-Dimensional Flow with Storage and Skin Effect in Finite-Width Sink. — Louis H. Motz; 128(5), 298-304 (2002).

Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentijn R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

Automation

Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

Boussinesq equations

Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).

Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentijn R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

Canal design

Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).

Canals

Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuwanshi; 128(4), 244-8 (2002).

Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

Channels, waterways

Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).

Colorado

Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

Combined sewers

Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 128(6), 397-400 (2002).

Computation

Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallesquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

Contraction

Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

Cost control

Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).

Costs

Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).

Crop yield

Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).

Culverts

Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

Hydraulics of Large Culvert beneath Roman Aqueduct of Nîmes. — H. Chanson; 128(5), 326-30 (2002).

Decision support systems

Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuwanshi, and W. W. Wallender; 128(1), 1-10 (2002).

Delivery

Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuwanshi; 128(4), 244-8 (2002).

Design

Minimum-Risk Bedding for Flexible Drain Pipes. — Lyman S. Willardson and Reynold K. Watkins; 128(2), 74-7 (2002).

Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).

Optimal Barrage Design based on Subsurface Flow Considerations. — N. K. Garg, S. K. Bhagat, and B. N. Asthana; 128(4), 253-63 (2002).

Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallesquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

Developing countries

Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).

Diffusivity

Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

Discharge coefficients

Discharge Characteristics of Chimney Weir under Free-Flow Conditions. — C. Chatterjee, R. Singh, and S. K. Kar; 128(3), 175-9 (2002).

Discharge measurement

Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).

Civil Engineering Database Keyword Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Acids

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).
2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).

Agricultural wastes

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).

Air entrainment

Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

Air water interactions

Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

Algorithms

Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).

Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

Alluvial valleys

Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

Aquifers

Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).

Leaky One-Dimensional Flow with Storage and Skin Effect in Finite-Width Sink. — Louis H. Motz; 128(5), 298-304 (2002).

Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentijn R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

Automation

Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

Boussinesq equations

Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).

Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentijn R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

Canal design

Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).

Canals

Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuwanshi; 128(4), 244-8 (2002).

Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

Channels, waterways

Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).

Colorado

Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

Combined sewers

Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 128(6), 397-400 (2002).

Computation

Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallesquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

Contraction

Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

Cost control

Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).

Costs

Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).

Crop yield

Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).

Culverts

Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

Hydraulics of Large Culvert beneath Roman Aqueduct of Nîmes. — H. Chanson; 128(5), 326-30 (2002).

Decision support systems

Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuwanshi, and W. W. Wallender; 128(1), 1-10 (2002).

Delivery

Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuwanshi; 128(4), 244-8 (2002).

Design

Minimum-Risk Bedding for Flexible Drain Pipes. — Lyman S. Willardson and Reynold K. Watkins; 128(2), 74-7 (2002).

Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).

Optimal Barrage Design based on Subsurface Flow Considerations. — N. K. Garg, S. K. Bhagat, and B. N. Asthana; 128(4), 253-63 (2002).

Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallesquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

Developing countries

Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).

Diffusivity

Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

Discharge coefficients

Discharge Characteristics of Chimney Weir under Free-Flow Conditions. — C. Chatterjee, R. Singh, and S. K. Kar; 128(3), 175-9 (2002).

Discharge measurement

Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).

Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).

Diversion structures

Optimal Barrage Design based on Subsurface Flow Considerations. — N. K. Garg, S. K. Bhagat, and B. N. Asthana; 128(4), 253-63 (2002).

Drag

Applications of Drag-Reducing Polymers in Sprinkler Irrigation Systems: Sprinkler Head Performance. — M. F. Khalil, S. Z. Kassab, A. A. Elmiligui, and F. A. Naoum; 128(3), 147-52 (2002).

Drain tiles

Numerical Simulation of Water Flow and Solute Transport to Tile Drains. — Dursun Buyuktas and Wesley W. Wallender; 128(1), 49-56 (2002).

Drainage

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).
2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).

Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).

Water Quality Aspects of Irrigation and Drainage: Past History and Future Challenges for Civil Engineers. — K. K. Tanji and C. G. Keyes, Jr.; 128(6), 332-40 (2002).

Drainage systems

Quantifying Management of Irrigation and Drainage Systems. — M. Javan, S. Sanaee-Jahromi, and A. A. Fiuzat; 128(1), 19-25 (2002).

Drawdown

Leaky One-Dimensional Flow with Storage and Skin Effect in Finite-Width Sink. — Louis H. Motz; 128(5), 298-304 (2002).

Dynamic programming

Coupled Reservoir Operation-Irrigation Scheduling by Dynamic Programming. — Adunias dos Santos Teixeira and Miguel A. Mariño; 128(2), 63-73 (2002).

Economic factors

A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).

Energy

Drop and Energy Characteristics of a Rotating Spray-Plate Sprinkler. — Darrell W. DeBoer; 128(3), 137-46 (2002).

Energy dissipation

Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

Environmental issues

1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).

A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).

Evaluation

Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).

Evaporation

Evaluation of Class A Pan Coefficients for Estimating Reference Evapotranspiration in Humid Location. — S. Irmak, D. Z. Haman, and J. W. Jones; 128(3), 153-9 (2002).

Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).

Evapotranspiration

Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuwanshi, and W. W. Wallender; 128(1), 1-10 (2002).

Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).

Evaluation of Class A Pan Coefficients for Estimating Reference Evapotranspiration in Humid Location. — S. Irmak, D. Z. Haman, and J. W. Jones; 128(3), 153-9 (2002).

Enhanced Subsurface Irrigation Hydrology Model. — Dursun Buyuktas and Wesley W. Wallender; 128(3), 168-74 (2002).

Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).

Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuwanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).

Experimentation

Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).

Farms

Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

Feedback control

Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

Flow rates

Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).

Free flow

Discharge Characteristics of Chimney Weir under Free-Flow Conditions. — C. Chatterjee, R. Singh, and S. K. Kar; 128(3), 175-9 (2002).

Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

Furrow irrigation

Infiltration Variability in Furrow Irrigation. — N. A. Oyonarte, L. Mateos, and M. J. Palomo; 128(1), 26-33 (2002).

Fuzzy sets

Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).

Gates

Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

Gradually varied flow

Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).

Ground-water supply

Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).

Head loss

Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).

Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).

Heterogeneity

Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).

History

Hydraulics of Large Culvert beneath Roman Aqueduct of Nîmes. — H. Chanson; 128(5), 326-30 (2002).

Water Quality Aspects of Irrigation and Drainage: Past History and Future Challenges for Civil Engineers. — K. K. Tanji and C. G. Keyes, Jr.; 128(6), 332-40 (2002).

Humidity

Evaluation of Class A Pan Coefficients for Estimating Reference Evapotranspiration in Humid Location. — S. Irmak, D. Z. Haman, and J. W. Jones; 128(3), 153-9 (2002).

Hydraulic design

Microirrigation Submain Unit with Pressure Reducing Pipes. — Derong Su, Yuan Tian, Qianzhao Gao, and Li Chang; 128(1), 43-8 (2002).

Hydraulic models

Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).

Hydraulic properties

Numerical Simulation of Water Flow and Solute Transport to Tile Drains. — Dursun Buyuktas and Wesley W. Wallender; 128(1), 49-56 (2002).

Hydraulic structures

Hydraulics of Large Culvert beneath Roman Aqueduct of Nîmes. — H. Chanson; 128(5), 326-30 (2002).

Hydraulics

Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 128(6), 397-400 (2002).

Hydrologic models
Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuwanshi, and W. W. Wallender; 128(1), 1-10 (2002).
Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).
Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).
Hydrology
Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).
India
Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuwanshi; 128(4), 244-8 (2002).
Installation
Minimum-Risk Bedding for Flexible Drain Pipes. — Lyman S. Willardson and Reynold K. Watkins; 128(2), 74-7 (2002).
Integrated systems
Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).
Irrigation
Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).
Quantifying Management of Irrigation and Drainage Systems. — M. Javan, S. Sanaee-Jahromi, and A. A. Fiuzat; 128(1), 19-25 (2002).
Continuous Outflow Variation along Irrigation Laterals: Effect of the Number of Outlets. — John D. Valiantzas; 128(1), 34-42 (2002).
Hydraulic Analysis and Optimum Design of Multidiameter Irrigation Laterals. — John D. Valiantzas; 128(2), 78-86 (2002).
Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).
Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).
Enhanced Subsurface Irrigation Hydrology Model. — Dursun Buyuktas and Wesley W. Wallender; 128(3), 168-74 (2002).
Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).
Water Quality Aspects of Irrigation and Drainage: Past History and Future Challenges for Civil Engineers. — K. K. Tanji and C. G. Keyes, Jr.; 128(6), 332-40 (2002).
Irrigation pipes
Microirrigation Submain Unit with Pressure Reducing Pipes. — Derong Su, Yuan Tian, Qianzhao Gao, and Li Chang; 128(1), 43-8 (2002).
Irrigation practices
Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuwanshi; 128(4), 244-8 (2002).
A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).
Irrigation scheduling
Coupled Reservoir Operation-Irrigation Scheduling by Dynamic Programming. — Adunias dos Santos Teixeira and Miguel A. Mariño; 128(2), 63-73 (2002).
Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).
Irrigation systems
Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).
Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).
Kinetics
Drop and Energy Characteristics of a Rotating Spray-Plate Sprinkler. — Darrell W. DeBoer; 128(3), 137-46 (2002).
Laterals
Continuous Outflow Variation along Irrigation Laterals: Effect of the Number of Outlets. — John D. Valiantzas; 128(1), 34-42 (2002).
Hydraulic Analysis and Optimum Design of Multidiameter Irrigation Laterals. — John D. Valiantzas; 128(2), 78-86 (2002).
Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).
Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallesquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).
Leakage
Leaky One-Dimensional Flow with Storage and Skin Effect in Finite-Width Sink. — Louis H. Motz; 128(5), 298-304 (2002).
Linear programming
Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).
Management
A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).
Manholes
Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 128(6), 397-400 (2002).
Methodology
Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).
Monitoring
Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).
Neural networks
Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuwanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).
New Strategy for Optimizing Water Application under Trickle Irrigation. — Gerd H. Schmitz, Niels Schütze, and Uwe Petersohn; 128(5), 287-97 (2002).
Nonlinear systems
Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).
Numerical models
2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).
Enhanced Subsurface Irrigation Hydrology Model. — Dursun Buyuktas and Wesley W. Wallender; 128(3), 168-74 (2002).
Numerical Modeling of Basin Irrigation with an Upwind Scheme. — P. Brufau, P. García-Navarro, E. Playán, and N. Zapata; 128(4), 212-23 (2002).
One-dimensional flow
Leaky One-Dimensional Flow with Storage and Skin Effect in Finite-Width Sink. — Louis H. Motz; 128(5), 298-304 (2002).
Optimization
Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).
New Strategy for Optimizing Water Application under Trickle Irrigation. — Gerd H. Schmitz, Niels Schütze, and Uwe Petersohn; 128(5), 287-97 (2002).
Optimization design
Hydraulic Analysis and Optimum Design of Multidiameter Irrigation Laterals. — John D. Valiantzas; 128(2), 78-86 (2002).
Optimization models
Coupled Reservoir Operation-Irrigation Scheduling by Dynamic Programming. — Adunias dos Santos Teixeira and Miguel A. Mariño; 128(2), 63-73 (2002).
Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).
Outflows
Continuous Outflow Variation along Irrigation Laterals: Effect of the Number of Outlets. — John D. Valiantzas; 128(1), 34-42 (2002).
Hydraulic Analysis and Optimum Design of Multidiameter Irrigation Laterals. — John D. Valiantzas; 128(2), 78-86 (2002).
Overland flow
Numerical Modeling of Basin Irrigation with an Upwind Scheme. — P. Brufau, P. García-Navarro, E. Playán, and N. Zapata; 128(4), 212-23 (2002).
Pakistan
Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).
Penetration
Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

Performance
Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).
Pipe bedding
Minimum-Risk Bedding for Flexible Drain Pipes. — Lyman S. Willardson and Reynold K. Watkins; 128(2), 74-7 (2002).
Pipelines
Hydraulic Analysis and Optimum Design of Multidiameter Irrigation Laterals. — John D. Valiantzas; 128(2), 78-86 (2002).
Polymers
Applications of Drag-Reducing Polymers in Sprinkler Irrigation Systems: Sprinkler Head Performance. — M. F. Khalil, S. Z. Kassab, A. A. Elmiligui, and F. A. Naoum; 128(3), 147-52 (2002).
Population
Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).
Porous media
Enhanced Subsurface Irrigation Hydrology Model. — Dursun Buyuktas and Wesley W. Wallender; 128(3), 168-74 (2002).
Pressure reduction
Microirrigation Submain Unit with Pressure Reducing Pipes. — Derong Su, Yuan Tian, Qianzhao Gao, and Li Chang; 128(1), 43-8 (2002).
Remote sensing
Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).
Reservoir operation
Coupled Reservoir Operation-Irrigation Scheduling by Dynamic Programming. — Adunias dos Santos Teixeira and Miguel A. Mariño; 128(2), 63-73 (2002).
Resistance
Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).
Risk
Minimum-Risk Bedding for Flexible Drain Pipes. — Lyman S. Willardson and Reynold K. Watkins; 128(2), 74-7 (2002).
A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).
Rotation
Drop and Energy Characteristics of a Rotating Spray-Plate Sprinkler. — Darrell W. DeBoer; 128(3), 137-46 (2002).
Salinity
Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).
Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).
Salt water intrusion
Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).
Scale, ratio
Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).
Scheduling
Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuwanshi; 128(4), 244-8 (2002).
Sedimentation
Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).
Seepage
Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).
Shock waves
Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 128(6), 397-400 (2002).
Silts
Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).
Simulation
Numerical Simulation of Water Flow and Solute Transport to Tile Drains. — Dursun Buyuktas and Wesley W. Wallender; 128(1), 49-56 (2002).
Slopes
Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).
Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).
Soils
Numerical Simulation of Water Flow and Solute Transport to Tile Drains. — Dursun Buyuktas and Wesley W. Wallender; 128(1), 49-56 (2002).
1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).
2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).

Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).
Sprinkler irrigation
Applications of Drag-Reducing Polymers in Sprinkler Irrigation Systems: Sprinkler Head Performance. — M. F. Khalil, S. Z. Kassab, A. A. Elmiligui, and F. A. Naoum; 128(3), 147-52 (2002).
Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallesquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).
Sprinklers
Drop and Energy Characteristics of a Rotating Spray-Plate Sprinkler. — Darrell W. DeBoer; 128(3), 137-46 (2002).
Streams
Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).
Submerged flow
Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).
Subsurface flow
Optimal Barrage Design based on Subsurface Flow Considerations. — N. K. Garg, S. K. Bhagat, and B. N. Asthana; 128(4), 253-63 (2002).
Supercritical flow
Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 128(6), 397-400 (2002).
Surface irrigation
Numerical Modeling of Basin Irrigation with an Upwind Scheme. — P. Brufau, P. García-Navarro, E. Playán, and N. Zapata; 128(4), 212-23 (2002).
Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).
Trickle irrigation
Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallesquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).
New Strategy for Optimizing Water Application under Trickle Irrigation. — Gerd H. Schmitz, Niels Schütze, and Uwe Petersohn; 128(5), 287-97 (2002).
Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).
Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).
Turkey
Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).
Uniform flow
Hydraulic Analysis and Optimum Design of Multidiameter Irrigation Laterals. — John D. Valiantzas; 128(2), 78-86 (2002).
Unsteady flow
Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).
Validation
Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).
Variability
Infiltration Variability in Furrow Irrigation. — N. A. Oyonarte, L. Mateos, and M. J. Palomo; 128(1), 26-33 (2002).
Water discharge
Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).

Water flow
Numerical Simulation of Water Flow and Solute Transport to Tile Drains. — Dursun Buyuktas and Wesley W. Wallender; 128(1), 49-56 (2002).
2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).
Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).
Water infiltration
Infiltration Variability in Furrow Irrigation. — N. A. Oyonarte, L. Mateos, and M. J. Palomo; 128(1), 26-33 (2002).
Water management
Quantifying Management of Irrigation and Drainage Systems. — M. Javan, S. Sanaee-Jahromi, and A. A. Fiuzat; 128(1), 19-25 (2002).
Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).
Water pipelines
Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).
Water pollution
Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).
Water resources management
Water Quality Aspects of Irrigation and Drainage: Past History and Future Challenges for Civil Engineers. — K. K. Tanji and C. G. Keyes, Jr.; 128(6), 332-40 (2002).
Water reuse
Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).
Water table
Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).
Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).
Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentijn R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).
Waterways
Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).
Wave propagation
Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuwanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).
Weirs
Discharge Characteristics of Chimney Weir under Free-Flow Conditions. — C. Chatterjee, R. Singh, and S. K. Kar; 128(3), 175-9 (2002).

Author Index

Angold, Russdon
Closure to "Flap Gate Design for Automatic Upstream Canal Water Level Control" by Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles. — Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles; 128(4), 264-5 (2002).

Araghi-Nejhad, Shahab
Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).

Asthana, B. N.
Optimal Barrage Design based on Subsurface Flow Considerations. — N. K. Garg, S. K. Bhagat, and B. N. Asthana; 128(4), 253-63 (2002).

Atmapoojya, Sohan L.
Discussion of "Optimal Design of Parabolic-Bottomed Triangle Canals" by K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swailes. — Sohan L. Atmapoojya and Ramesh N. Ingle; 128(3), 189-90 (2002).

Babaeyan-Koopaei, K.
Closure to "Optimal Design of Parabolic-Bottomed Triangle Canals" by K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swailes. — K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swailes; 128(3), 190-1 (2002).

Bastiaanssen, Wim
Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).

Baume, Jean-Pierre
Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).

Belaud, Gilles
Maintaining Equity in Surface Irrigation Network Affected by Silt Deposition. — Gilles Belaud and Jean-Pierre Baume; 128(5), 316-25 (2002).

Bhagat, S. K.
Optimal Barrage Design based on Subsurface Flow Considerations. — N. K. Garg, S. K. Bhagat, and B. N. Asthana; 128(4), 253-63 (2002).

Bonnell, R. B.
Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).

Bouwer, Herman
Integrated Water Management for the 21st Century: Problems and Solutions. — Herman Bouwer; 128(4), 193-202 (2002).

Broner, Israel
Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

Broughton, R. S.
Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).

Brufau, P.
Numerical Modeling of Basin Irrigation with an Upwind Scheme. — P. Brufau, P. García-Navarro, E. Playán, and N. Zapata; 128(4), 212-23 (2002).

Burkhalter, J. Philip
Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

Burt, Charles M.
Closure to "Flap Gate Design for Automatic Upstream Canal Water Level Control" by Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles. — Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles; 128(4), 264-5 (2002).

Buyuktas, Dursun
Numerical Simulation of Water Flow and Solute Transport to Tile Drains. — Dursun Buyuktas and Wesley W. Wallender; 128(1), 49-56 (2002).
Enhanced Subsurface Irrigation Hydrology Model. — Dursun Buyuktas and Wesley W. Wallender; 128(3), 168-74 (2002).

Chahar, Bhagu R.
Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).

Chang, Li
Microirrigation Submain Unit with Pressure Reducing Pipes. — Derong Su, Yuan Tian, Qianzhao Gao, and Li Chang; 128(1), 43-8 (2002).

Chanson, H.
Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).
Hydraulics of Large Culvert beneath Roman Aqueduct of Nîmes. — H. Chanson; 128(5), 326-30 (2002).

Chatterjee, C.
Discharge Characteristics of Chimney Weir under Free-Flow Conditions. — C. Chatterjee, R. Singh, and S. K. Kar; 128(3), 175-9 (2002).

Chauhan, H. S.
Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).

Chaurasia, Shri Ram
Discussion of "Stability and Mobility of Sand-Bed Channels Affected by Seepage" by Achanta Ramakrishna Rao and Nagaraj Sitaram. — Shri Ram Chaurasia; 128(2), 132-4 (2002).

Clemmens, Albert J.
Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

Cook, Freeman J.
1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).
2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).

DeBoer, Darrell W.
Drop and Energy Characteristics of a Rotating Spray-Plate Sprinkler. — Darrell W. DeBoer; 128(3), 137-46 (2002).

De Martino, Flavio
Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 128(6), 397-400 (2002).

De Troch, François P.
Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentijn R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

Dey, Subhasish
Closure to "EDR in Circular Channels" by Subhasish Dey. — Subhasish Dey; 128(6), 404 (2002).

dos Santos Teixeira, Adunias
Coupled Reservoir Operation-Irrigation Scheduling by Dynamic Programming. — Adunias dos Santos Teixeira and Miguel A. Mariño; 128(2), 63-73 (2002).

Droogers, Peter
Irrigation Performance using Hydrological and Remote Sensing Modeling. — Peter Droogers and Wim Bastiaanssen; 128(1), 11-8 (2002).

Elmiligui, A. A.
Applications of Drag-Reducing Polymers in Sprinkler Irrigation Systems: Sprinkler Head Performance. — M. F. Khalil, S. Z. Kassab, A. A. Elmiligui, and F. A. Naoum; 128(3), 147-52 (2002).

English, Marshall J.
A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).

Ferro, Vito
Discussion of "Simple Flume for Flow Measurement in Open Channel" by Zohrab Samani and Henry Magallanez. — Vito Ferro; 128(2), 129-31 (2002).
Discussion of "EDR in Circular Channels" by Subhasish Dey. — Vito Ferro; 128(6), 401-3 (2002).

Fiuzat, A. A.
Quantifying Management of Irrigation and Drainage Systems. — M. Javan, S. Sanaee-Jahromi, and A. A. Fiuzat; 128(1), 19-25 (2002).

Gao, Qianzhao
Microirrigation Submain Unit with Pressure Reducing Pipes. — Derong Su, Yuan Tian, Qianzhao Gao, and Li Chang; 128(1), 43-8 (2002).

García-Navarro, P.
Numerical Modeling of Basin Irrigation with an Upwind Scheme. — P. Brufau, P. García-Navarro, E. Playán, and N. Zapata; 128(4), 212-23 (2002).

Gardner, Edward A.
1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).

Garg, N. K.
Optimal Barrage Design based on Subsurface Flow Considerations. — N. K. Garg, S. K. Bhagat, and B. N. Asthana; 128(4), 253-63 (2002).
Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).

Gates, Timothy K.
Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

George, Biju A.
Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuwanshi, and W. W. Wallender; 128(1), 1-10 (2002).

Gisonni, Corrado
Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 128(6), 397-400 (2002).

Grismer, M. E.
Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).

Grismer, Mark E.
Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).

Hager, Willi H.
Discussion of "Flap Gate Design for Automatic Upstream Canal Water Level Control" by Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles. — Willi H. Hager; 128(4), 264 (2002).
Drop in Combined Sewer Manhole for Supercritical Flow. — Flavio De Martino, Corrado Gisonni, and Willi H. Hager; 128(6), 397-400 (2002).
Discussion of "EDR in Circular Channels" by Subhasish Dey. — Willi H. Hager; 128(6), 401 (2002).

Haman, D. Z.
Evaluation of Class A Pan Coefficients for Estimating Reference Evapotranspiration in Humid Location. — S. Irmak, D. Z. Haman, and J. W. Jones; 128(3), 153-9 (2002).

Hoffman, Glenn J.
A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).

Ingle, Ramesh N.
Discussion of "Optimal Design of Parabolic-Bottomed Triangle Canals" by K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swailes. — Sohan L. Atmapoojya and Ramesh N. Ingle; 128(3), 189-90 (2002).

Irmak, S.
Evaluation of Class A Pan Coefficients for Estimating Reference Evapotranspiration in Humid Location. — S. Irmak, D. Z. Haman, and J. W. Jones; 128(3), 153-9 (2002).

Jain, S. K.
Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).

Javan, M.
Quantifying Management of Irrigation and Drainage Systems. — M. Javan, S. Sanaee-Jahromi, and A. A. Fiuzat; 128(1), 19-25 (2002).

Jones, J. W.
Evaluation of Class A Pan Coefficients for Estimating Reference Evapotranspiration in Humid Location. — S. Irmak, D. Z. Haman, and J. W. Jones; 128(3), 153-9 (2002).

Juana, Luis
Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).
Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).

Kar, S. K.
Discharge Characteristics of Chimney Weir under Free-Flow Conditions. — C. Chatterjee, R. Singh, and S. K. Kar; 128(3), 175-9 (2002).

Karamouz, Mohammad
Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).

Kassab, S. Z.
Applications of Drag-Reducing Polymers in Sprinkler Irrigation Systems: Sprinkler Head Performance. — M. F. Khalil, S. Z. Kassab, A. A. Elmiligui, and F. A. Naoum; 128(3), 147-52 (2002).

Kerachian, Reza
Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).

Keyes, C. G., Jr.
Water Quality Aspects of Irrigation and Drainage: Past History and Future Challenges for Civil Engineers. — K. K. Tanji and C. G. Keyes, Jr.; 128(6), 332-40 (2002).

Khalil, M. F.
Applications of Drag-Reducing Polymers in Sprinkler Irrigation Systems: Sprinkler Head Performance. — M. F. Khalil, S. Z. Kassab, A. A. Elmiligui, and F. A. Naoum; 128(3), 147-52 (2002).

Kumar, M.
Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuwanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).

Labadie, John W.
Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

Lehmkuhl, Mike
Closure to "Flap Gate Design for Automatic Upstream Canal Water Level Control" by Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles. — Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles; 128(4), 264-5 (2002).

Lin, C. H.
Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

Losada, Alberto
Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).
Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).

Luque-Escamilla, Pedro L.
Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallesquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

Magallanez, Henry
Closure to "Simple Flume for Flow Measurement in Open Channel" by Zohrab Samani and Henry Magallanez. — Zohrab Samani and Henry Magallanez; 128(2), 131-2 (2002).

Maheshwari, Basant
Review of *Research perspectives in hydraulics and water resources engineering* edited by R. Prasad and S. Vedula. — Basant Maheshwari; 128(6), 405 (2002).

Mariño, Miguel A.
Coupled Reservoir Operation-Irrigation Scheduling by Dynamic Programming. — Adunias dos Santos Teixeira and Miguel A. Mariño; 128(2), 63-73 (2002).
Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).

Mateos, L.
Infiltration Variability in Furrow Irrigation. — N. A. Oyonarte, L. Mateos, and M. J. Palomo; 128(1), 26-33 (2002).

Matyac, R.
Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).

Mishra, A.
Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuwanshi; 128(4), 244-8 (2002).

Mishra, Govind C.
Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

Mishra, Govinda C.
Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).

Motz, Louis H.
Leaky One-Dimensional Flow with Storage and Skin Effect in Finite-Width Sink. — Louis H. Motz; 128(5), 298-304 (2002).

Naoum, F. A.
Applications of Drag-Reducing Polymers in Sprinkler Irrigation Systems: Sprinkler Head Performance. — M. F. Khalil, S. Z. Kassab, A. A. Elmiligui, and F. A. Naoum; 128(3), 147-52 (2002).

Ojha, Chandra Shekhar P.
Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

Orang, M.
Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).

Oyonarte, N. A.
Infiltration Variability in Furrow Irrigation. — N. A. Oyonarte, L. Mateos, and M. J. Palomo; 128(1), 26-33 (2002).

Palomo, M. J.
Infiltration Variability in Furrow Irrigation. — N. A. Oyonarte, L. Mateos, and M. J. Palomo; 128(1), 26-33 (2002).

Patel, R. M.
Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).

Pauwels, Valentijn R. N.
Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentijn R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

Petersohn, Uwe
New Strategy for Optimizing Water Application under Trickle Irrigation. — Gerd H. Schmitz, Niels Schütze, and Uwe Petersohn; 128(5), 287-97 (2002).

Playán, E.
Numerical Modeling of Basin Irrigation with an Upwind Scheme. — P. Brufau, P. García-Navarro, E. Playán, and N. Zapata; 128(4), 212-23 (2002).

Prasher, S. O.
Development of Comprehensive Soil Salinity Index. — R. M. Patel, S. O. Prasher, R. B. Bonnell, and R. S. Broughton; 128(3), 185-8 (2002).

Pruitt, W. O.
Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuwanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).

Raghuwanshi, N. S.
Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuwanshi, and W. W. Wallender; 128(1), 1-10 (2002).
Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuwanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).
Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuwanshi; 128(4), 244-8 (2002).

Ramakrishna Rao, Achanta
Closure to "Stability and Mobility of Sand-Bed Channels Affected by Seepage" by Achanta Ramakrishna Rao and Nagaraj Sitaram. — Achanta Ramakrishna Rao and Nagaraj Sitaram; 128(2), 134-5 (2002).

Rassam, Daud W.
1. Field and Laboratory Studies of Acid Sulfate Soils. — Daud W. Rassam, Freeman J. Cook, and Edward A. Gardner; 128(2), 100-6 (2002).
2. Numerical Simulations of Water Flow and Solute Transport Applied to Acid Sulfate Soils. — Daud W. Rassam and Freeman J. Cook; 128(2), 107-15 (2002).

Reddy, B. R. S.
Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuwanshi, and W. W. Wallender; 128(1), 1-10 (2002).

Rodríguez-Sinobas, Leonor
Determining Minor Head Losses in Drip Irrigation Laterals. I: Methodology. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 376-84 (2002).
Determining Minor Head Losses in Drip Irrigation Laterals. II: Experimental Study and Validation. — Luis Juana, Leonor Rodríguez-Sinobas, and Alberto Losada; 128(6), 385-96 (2002).

Saad, João C. C.
Optimum Design of Microirrigation Systems in Sloping Lands. — João C. C. Saad and Miguel A. Mariño; 128(2), 116-24 (2002).

Samani, Zohrab
Closure to "Simple Flume for Flow Measurement in Open Channel" by Zohrab Samani and Henry Magallanez. — Zohrab Samani and Henry Magallanez; 128(2), 131-2 (2002).

Sanaee-Jahromi, S.
Quantifying Management of Irrigation and Drainage Systems. — M. Javan, S. Sanaee-Jahromi, and A. A. Fiuzat; 128(1), 19-25 (2002).

Schmitz, Gerd H.
New Strategy for Optimizing Water Application under Trickle Irrigation. — Gerd H. Schmitz, Niels Schütze, and Uwe Petersohn; 128(5), 287-97 (2002).

Schütze, Niels
New Strategy for Optimizing Water Application under Trickle Irrigation. — Gerd H. Schmitz, Niels Schütze, and Uwe Petersohn; 128(5), 287-97 (2002).

Sen, D. J.
Efficient Algorithm for Gradually Varied Flows in Channel Networks. — D. J. Sen and N. K. Garg; 128(6), 351-7 (2002).

Singh, K. K.
Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).

Singh, R.
Discharge Characteristics of Chimney Weir under Free-Flow Conditions. — C. Chatterjee, R. Singh, and S. K. Kar; 128(3), 175-9 (2002).
Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuwanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).
Alternative Delivery Scheduling for Improved Canal System Performance. — A. Mishra, R. Singh, and N. S. Raghuwanshi; 128(4), 244-8 (2002).

Singh, R. P.
Microirrigation Lateral Design using Lateral Discharge Equation. — S. K. Jain, K. K. Singh, and R. P. Singh; 128(2), 125-8 (2002).

Singh, Sushil K.
Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).

Sitaram, Nagaraj
Closure to "Stability and Mobility of Sand-Bed Channels Affected by Seepage" by Achanta Ramakrishna Rao and Nagaraj Sitaram. — Achanta Ramakrishna Rao and Nagaraj Sitaram; 128(2), 134-5 (2002).

Snyder, R.
Pan Evaporation to Reference Evapotranspiration Conversion Methods. — M. E. Grismer, M. Orang, R. Snyder, and R. Matyac; 128(3), 180-4 (2002).

Solomon, Kenneth H.
A Paradigm Shift in Irrigation Management. — Marshall J. English, Kenneth H. Solomon, and Glenn J. Hoffman; 128(5), 267-77 (2002).

Standley, Laurel J.
Review of *Improving irrigation governance and management in Nepal* edited by G. P. Shivakoti and E. Ostrom. — Laurel J. Standley; 128(4), 266 (2002).

Styles, Stuart
Closure to "Flap Gate Design for Automatic Upstream Canal Water Level Control" by Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles. — Charles M. Burt, Russdon Angold, Mike Lehmkuhl, and Stuart Styles; 128(4), 264-5 (2002).

Su, Derong
Microirrigation Submain Unit with Pressure Reducing Pipes. — Derong Su, Yuan Tian, Qianzhao Gao, and Li Chang; 128(1), 43-8 (2002).

Swailes, D. C.
Closure to "Optimal Design of Parabolic-Bottomed Triangle Canals" by K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swailes. — K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swailes; 128(3), 190-1 (2002).

Swamee, Prabhata K.
Aquifer Diffusivity and Stream Resistance from Varying Stream Stage. — Sushil K. Singh, Govind C. Mishra, Prabhata K. Swamee, and Chandra Shekhar P. Ojha; 128(1), 57-61 (2002).
Optimal Design of Transmission Canal. — Prabhata K. Swamee, Govinda C. Mishra, and Bhagu R. Chahar; 128(4), 234-43 (2002).

Tanji, K. K.
Water Quality Aspects of Irrigation and Drainage: Past History and Future Challenges for Civil Engineers. — K. K. Tanji and C. G. Keyes, Jr.; 128(6), 332-40 (2002).

Tian, Yuan
Microirrigation Submain Unit with Pressure Reducing Pipes. — Derong Su, Yuan Tian, Qianzhao Gao, and Li Chang; 128(1), 43-8 (2002).

Toombes, L.
Energy Dissipation and Air Entrainment in Stepped Storm Waterway: Experimental Study. — H. Chanson and L. Toombes; 128(5), 305-15 (2002).

Troch, Peter A.
Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentijn R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

Tsai, C. T.
Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

Upadhyaya, A.
Water Table Rise in Sloping Aquifer due to Canal Seepage and Constant Recharge. — A. Upadhyaya and H. S. Chauhan; 128(3), 160-7 (2002).

Valentine, E. M.
Closure to "Optimal Design of Parabolic-Bottomed Triangle Canals" by K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swailes. — K. Babaeyan-Koopaei, E. M. Valentine, and D. C. Swailes; 128(3), 190-1 (2002).

Valiantzas, John D.
Continuous Outflow Variation along Irrigation Laterals: Effect of the Number of Outlets. — John D. Valiantzas; 128(1), 34-42 (2002).
Hydraulic Analysis and Optimum Design of Multidiameter Irrigation Laterals. — John D. Valiantzas; 128(2), 78-86 (2002).

Vallesquino, Pedro
Equivalent Friction Factor Method for Hydraulic Calculation in Irrigation Laterals. — Pedro Vallesquino and Pedro L. Luque-Escamilla; 128(5), 278-86 (2002).

Valliant, James C.
Monitoring and Modeling Flow and Salt Transport in a Salinity-Threatened Irrigated Valley. — Timothy K. Gates, J. Philip Burkhalter, John W. Labadie, James C. Valliant, and Israel Broner; 128(2), 87-99 (2002).

Verhoest, Niko E. C.
Analytical Solution for Transient Water Table Heights and Outflows from Inclined Ditch-Drained Terrains. — Niko E. C. Verhoest, Valentijn R. N. Pauwels, Peter A. Troch, and François P. De Troch; 128(6), 358-64 (2002).

Wahlin, Brian T.
Performance of Historic Downstream Canal Control Algorithms on ASCE Test Canal 1. — Brian T. Wahlin and Albert J. Clemmens; 128(6), 365-75 (2002).

Wallender, W. W.
Decision Support System for Estimating Reference Evapotranspiration. — Biju A. George, B. R. S. Reddy, N. S. Raghuwanshi, and W. W. Wallender; 128(1), 1-10 (2002).
Estimating Evapotranspiration using Artificial Neural Network. — M. Kumar, N. S. Raghuwanshi, R. Singh, W. W. Wallender, and W. O. Pruitt; 128(4), 224-33 (2002).

Wallender, Wesley W.
Numerical Simulation of Water Flow and Solute Transport to Tile Drains. — Dursun Buyuktas and Wesley W. Wallender; 128(1), 49-56 (2002).
Enhanced Subsurface Irrigation Hydrology Model. — Dursun Buyuktas and Wesley W. Wallender; 128(3), 168-74 (2002).
Irrigation Hydrology: Crossing Scales. — Wesley W. Wallender and Mark E. Grismer; 128(4), 203-11 (2002).

Watkins, Reynold K.
Minimum-Risk Bedding for Flexible Drain Pipes. — Lyman S. Willardson and Reynold K. Watkins; 128(2), 74-7 (2002).

Willardson, Lyman S.
Minimum-Risk Bedding for Flexible Drain Pipes. — Lyman S. Willardson and Reynold K. Watkins; 128(2), 74-7 (2002).

Yen, J. F.
Influence of Sluice Gate Contraction Coefficient on Distinguishing Condition. — C. H. Lin, J. F. Yen, and C. T. Tsai; 128(4), 249-52 (2002).

Zahraie, Banafsheh
Monitoring and Evaluation Scheme using the Multiple-Criteria-Decision-Making Technique: Application to Irrigation Projects. — Mohammad Karamouz, Reza Kerachian, Banafsheh Zahraie, and Shahab Araghi-Nejhad; 128(6), 341-50 (2002).

Zapata, N.
Numerical Modeling of Basin Irrigation with an Upwind Scheme. — P. Brufau, P. García-Navarro, E. Playán, and N. Zapata; 128(4), 212-23 (2002).